

### Product Environmental Footprint Guide developed by European Commission

### **Pilot test in food sector**

Ecomondo 2012, Rimini 07 November 2012

Simone Pedrazzini

Life cycle analyst, Project manager simone.pedrazzini@quantis-intl.com

**Sebastien Humbert** VP, Scientific affairs Carole Dubois Director Business Development





# Quantis


### Agenda



- A few words about Quantis
- The context: Product Environmental Footprint (PEF)
- The pilot test in food sector: the Nespresso coffee case study
- Conclusion
  - Main feedbacks
  - Next steps

Timing : 16h40 – 17h05







### The context: Product Environmental Footprint (PEF)



### **Product Environmental Footprint (PEF)**

- **European Commission** (EC) services are working towards the development of a harmonised methodology for the calculation of
  - the environmental footprint of products and
  - a technical guide for the calculation of the environmental footprint of organisations
- In 2011, 10 selected pilot projects tested the EC methodologies (draft version) in the process of their revision













### Questions

- How does the PEF methodology translate in a real-life scenario ?
- What are the main **findings**, **recommendations and conclusions** that can be made from the exercise?



### The pilot test in food sector: the Nespresso coffee case study




### **Goal and scope**

The system considered is a Nespresso 40 ml espresso prepared with a Nespresso Essenza machine


Life cycle stages: from beans to cup








### **PEF compared to original LCA: climate change**






### **PEF compared to original LCA: climate change**






### **PEF compared to original LCA: climate change**



<sup>a)</sup> Nestlé Nespresso, Quantis. 2011. Comparative full LCA of B2C cup of espresso using a packaging and distribution system from Nespresso Espresso and three generic products. Lausanne, Switzerland.




# PEF results: climate change, mineral fossil and water resource depletion






# PEF results: climate change, mineral fossil and water resource depletion





# PEF results: climate change, mineral fossil and water resource depletion







# Conclusion



### **Main feedbacks**

#### STRENGTHS



- Multi-criteria
- Impact categories based on internationally accepted midpoints
- Provides **clear guidance** on how to conduct an assessment
- **Regionalized** approach for water footprint

#### **STILL TO IMPROVE**



- ELCD database still in development
- Midpoint approach: not for decision making (no recommendation for endpoint)
- Regionalization feasible, but **timeconsuming** in current LCA software
- Implementation of the recommended impact method in LCA software not "mature"

### Positive push towards harmonisation of multi indicator LCA practices



### **Product Environmental Footprint (PEF) next steps**

| What?  | When ?        |
|--|---------------|
| Impact assessment of the different policy option     | 10-11/2012    |
| Internal discussion among Commission services        | 11-12/2012    |
| Formal adoption of the communication                 | 03 /2013      |
| Launch of a European pilot on PEF/OEF implementation | Summer 2013 ? |
|  |               |



### Conclusion

- How does the PEF methodology translate in a real-case scenario?
  - Similar to a standard product LCA (resources, time, cost)
  - Useful to gain a comprehensive vision of the impacts
- What are the main **findings**, **recommendations and conclusions** that can be made from the exercise?
  - Necessity to have a coherent and practical database approach
  - Sectorial category rules and external critical review are necessary for comparative assessments



# Contact us

Quantis **EPFL Science Park** CH-1015 Lausanne Tél. +41 21 693 91 92

## quantis-intl.com



Quantis

in **Quantis International** 

+Quantis

 $g^+$ 

### simone.pedrazzini@quantis-intl.com